Fiber patch panels

1U 19" 24 ports Full Loaded Sliding Rail Rack mount Fiber patch panel
with 24pcs SX SC/APC Adapters
and 24pcs SX SC/APC G657A1 LSZH Pigtails 1m

Silding Rack mount Fiber patch panel Details	
Company Code	ZC1US24P1222-1
Material	CRS Cold rolled steel
Enclosure Type	19" Rack Mountable
Installation	Standard EIA 19" Rack
Compliant	TIA/EIA-568-C.3
Connection Port	2 –12 Ports SC/FC/ST/LC/
Dimensions (HxWxD)	485*350*89mm
Application	Telecommunication
Place of Origin	ZheJiang, China
Brand	HELLOSIGNAL® OR OEM
Delivery time	Normally 25 days after received the deposit.
MOQ	50PCS

Application:

- Optical Network Frame management system
- FTTX project
- Data processing centers/Cable television (CATV)
- Other applications in Fiber optical systems

Widespread Application

Fiber patch panels

Features:

- Standard size, light weight and reasonable structure
- Made of cold-rolling steel, static spreading-plastic, small dimension and exquisite and easy for operation
- Suitable for ribbon and single fiber
- The box has a pothook, which is convenient to install and dismantle
- Various panel plate to fit different adapter interface
- Compact design for space saving
- Easy for management and operation
- 【Large Space Fusion Disc】 Each tail fiber has its own winding channel, effectively protecting the fiber
- 【Snap on Design】Achieving quick installation and maintenanceNo need to tighten screws
- 【Thickness of Plate】1.0 mm; thickened and reinforced cold rolled sheet, sturdy and stableCorrosion resistant coating, long service life
- Perfect environment stability
- The box is of unique structure, reasonable layout, and has adequate room for operation
- The indoor type is of excellent seal performance, which could prevent water from entering effectively

Description:

- Fiber optic patch panel is an integrated unit for fiber management, ZION offer wall mounted fiber optic patch panel and rack mounted fiber optic patch panels, these equipment function is to fix and manage the fiber optic cables inside the box as well as provide protection.

- The Fiber Optic Patch panel is a kind of fiber optic management products used to distribute and protect the optical fiber links in FTTH Network. It is available for the distribution and terminal connection of various kinds of optical fiber system. These units are available in sizes that fit the most common distribution requirements.

- The Fiber Optic Patch panel 19 inch standard structure, rack mounted, suitable for 19" frame rack mount or cabinet, designed for backbone-to-backbone and backbone-to-horizontal fiber cabling.

- OMC provide is a kind of high quality, micro sized fiber optical Patch panel made of quality cold-rolled steel sheet and undergoes static plastic spraying treatment, which can be used to mount SC/LC/FC/ST/E2000/MPO adapter, the box can be installed on the indoor wall and terrace.

- The Rack Mount Fiber Optic Patch Panel are 19" inch size and modular design. clamshell-type Rack-Mount Panel provides a simple, high-density, low profile solution for easy access and management of fiber optic terminations. It comes with a number of cable management devices for organizing cables entering and exiting the panel. This Patch Panel are equipped with slack-fiber storage spools, and Splicing tray. Each enclosure features front and rear removable metal covers for quick and easy installation and maintenance.

Fiber patch panels

Standard Accessories:

Full loaded accessories

1）Color Coded Fiber Pigtails Set
2）Fiber Adapters
3）Cage Nuts
4）60mm Sploce Sleeve/Smouv（if need）
5）Blank port cap（if need）

Naming Rules&Order Confirmation Information:

Company Name	Patch Panel Type and Ports	Adaoter Type	Pigtail Fiber Type	Polish Type	Pigtail Jacket Type	–	Pigtail Length
ZC- ZION COMMUNICATION	1UF6P- 1U Fixed 6 Ports	0-None	1=G652D	1=UPC	1=PVC		05=0.5m
	1UF12P- 1U Fixed 12 Ports	1-SC SX	2=G657A1	2=APC	2=LSZH		09=0.9m
	1UF24P- 1U Fixed 24 Ports	2-LC DX	3=OM1				1=1m
	2UF48P- 2U Fixed 48 Ports	3-FC SX	4=OM2				
	1US12P- 1U Sliding 12 Ports	4-ST SX	5=OM3				
	1US24P- 1U Sliding 24 Ports		6=OM4				
	2US48P- 2U Sliding 48 Ports		7=OM5				
			8=MM				